



UBRELVY[®]

(ubrogepant) tablets

DID YOU KNOW?

UBRELVY CAN STOP MIGRAINE IN ITS TRACKS ANYTIME, ANYWHERE

In clinical studies, most people had quick pain relief and some even had pain freedom within 2 hours.

What is UBRELVY?

UBRELVY is a prescription medicine used for the acute treatment of migraine attacks with or without aura in adults. UBRELVY is not used to prevent migraine headaches.

Please see Important Safety Information on the following pages.

Click here for patient information or visit
http://www.rxabbvie.com/pdf/ubrelvy_pi.pdf

TREAT THE 3:10 PM NO-EXIT-IN-SIGHT MIGRAINE ATTACK

Do you ever hesitate to take your prescription medication depending on where you are or what you're doing?

And if you wait to take it, does your medication still work?

67%

OF PATIENTS DELAY OR AVOID
USING THEIR PRESCRIPTION
ACUTE TREATMENT DUE
TO CONCERNS ABOUT
ADVERSE EVENTS*

AMONG THOSE PATIENTS*:

60% CLAIMED MORE INTENSE PAIN

59% CLAIMED EXTENDED DURATION OF HEADACHE

UBRELVY[®] can provide relief without having to worry if it's too late[†] to take it or where you happen to be. It can work even for those who haven't tolerated or responded to other commonly prescribed migraine medications.

*From a survey of 1,160 people living with migraine in the American Migraine Prevalence and Prevention Study.

[†]People took UBRELVY within 4 hours of a migraine attack.

IMPORTANT SAFETY INFORMATION

Who should not take UBRELVY?

Do not take UBRELVY if you are taking medicines known as strong CYP3A4 inhibitors, such as ketoconazole, clarithromycin, itraconazole.

SERENA WILLIAMS
TENNIS CHAMPION
AND UBRELVY PATIENT



THE FIRST PILL OF ITS KIND

UBRELVY[®] is the first acute treatment in a different class of migraine medications. It can quickly stop migraine pain and the most debilitating migraine symptoms in their tracks within 2 hours. Many had pain relief in just 1 hour.



NON-NARCOTIC PILL



WORKS FAST

In clinical studies, people took UBRELVY up to 4 hours after their migraine attack started. Of those people, few had side effects. You can take UBRELVY without worrying if it's too late or where you happen to be.

IMPORTANT SAFETY INFORMATION (CONT.)

What are the most common side effects of UBRELVY?

The most common side effects are nausea (4%) and tiredness (3%). These are not all of the possible side effects of UBRELVY.

STOP YOUR MIGRAINE ATTACK IN ITS TRACKS

Migraine is more than just a bad headache. It's excruciating head pain, light sensitivity, sound sensitivity, and even nausea.

UBRELVY[®] can provide freedom from migraine pain and debilitating symptoms within 2 hours. Many people experienced pain relief in as little as 1 hour.



PAIN FREEDOM
(ZERO PAIN)



**ABSENCE OF MOST DEBILITATING
MIGRAINE SYMPTOMS**
(LIGHT SENSITIVITY,
SOUND SENSITIVITY, OR NAUSEA)



PAIN RELIEF
(REDUCTION IN PAIN)

In clinical studies, the majority of people achieved pain relief, and 1 in 5 even experienced total pain freedom. Plus, 2 out of 5 had absence of their most debilitating symptom within 2 hours after taking UBRELVY.

IMPORTANT SAFETY INFORMATION (CONT.)


Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Your healthcare provider can tell you if it is safe to take UBRELVY with other medicines.

UBRELVY WORKS DIFFERENTLY


Unlike older migraine medications that work primarily by constricting blood vessels, UBRELVY[®] directly targets a specific protein believed to play a major role in migraine attacks.

This protein is known as calcitonin gene-related peptide (CGRP), and it causes pain and inflammation when it attaches to sensory nerve endings.

CGRP ATTACHING DURING MIGRAINE



UBRELVY BLOCKING CGRP DURING MIGRAINE



UBRELVY is a CGRP receptor antagonist, which means it is **designed to directly block CGRP protein** from attaching to your sensory nerve endings.

TREATMENT WITH FEW SIDE EFFECTS

In clinical studies, few people had side effects.

The most common were nausea (2-4%) and tiredness (2-3%). There were nearly 2,000 people in those studies and the majority didn't report any side effects when taking UBRELVY[®].

**FEW PEOPLE HAD SIDE EFFECTS.
UBRELVY CAN BE TAKEN WHEN
AND WHERE YOU NEED IT.**

People in the clinical studies were allowed to take other acute treatments for migraine, including triptans and treatments that prevent migraine. UBRELVY adds one more tool to help you manage your migraine attacks.

IMPORTANT SAFETY INFORMATION (CONT.)

What should I tell my healthcare provider before taking UBRELVY?

Tell your healthcare provider about all your medical conditions, including if you:

- Have liver problems
- Have kidney problems
- Are pregnant or plan to become pregnant
- Are breastfeeding or plan to breastfeed

COMPLETE PAIN RELIEF IS POSSIBLE

Complete pain relief is possible with one dose of UBRELVY[®]. Some people had zero pain and absence of their most debilitating symptom within 2 hours.

If needed, you can take a second dose of UBRELVY 2 hours after the first dose.

UBRELVY IS AVAILABLE IN 2 DOSAGE STRENGTHS	50 mg
	100 mg

Talk to your healthcare provider about which dose of UBRELVY is right for you.

UBRELVY comes in convenient On-the-Go Packs, so you can be prepared anytime, anywhere a migraine attack strikes.



Save on trips to the pharmacy by asking your doctor about a **90-day** supply. Also ask about UBRELVY's **16-count** package!

IMPORTANT SAFETY INFORMATION (CONT.)
Who should not take UBRELVY?

Do not take UBRELVY if you are taking medicines known as strong CYP3A4 inhibitors, such as ketoconazole, clarithromycin, itraconazole.



U-DEMAND RELIEF
SUITE

ON-DEMAND SAVINGS & SUPPORT

The U-Demand™ Relief Suite is a robust support program that provides the resources and assistance you need to better access UBRELVY® and discover savings.



U-**SAVE** EVEN MORE

Possibly paying as little as **\$0** per month for UBRELVY? Sign us up! Finding out if you're eligible to pay **\$0** on each fill is easy.*

THERE ARE 2 WAYS TO GET A U-**SAVE** CARD:

Text **"UBRELVY"** to **48764**[†] or visit **UBRELVY.com/savings**

[†] Standard data charges may apply



U-**CONCIERGE**

Talk to one of our live representatives who can answer your questions about insurance coverage, cost, and other questions you may have about UBRELVY.

Call 1.844.4.UBRELVY (1.844.482.7358), Monday–Friday, 8:00 am to 8:00 pm Eastern Time.

*Patient out-of-pocket costs may vary. Terms and Conditions apply. This offer is only valid for commercially insured patients. Offer not valid for patients enrolled in Medicare, Medicaid, or other federal or state healthcare programs. See terms, conditions, and eligibility criteria at UBRELVY.com.

MY MONTHLY HEADACHE
AND MIGRAINE TRACKER:

(Month)

Keep track of your migraine attacks by marking the boxes below. After completing the tracker, tear it out, and bring it when you meet with your healthcare provider.

Date	Did I have a migraine today? (y/n)	Duration	Potential Trigger(s)	Symptoms	Pain Level (1-10)	Treatment?	Was it effective? (y/n)
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							

Date	Did I have a migraine today? (y/n)	Duration	Potential Trigger(s)	Symptoms	Pain Level (1-10)	Treatment?	Was it effective? (y/n)
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

Are your current medicines helping with your migraine? YES ☐ NO ☐

TREAT IT WHEN U NEED IT

**ASK YOUR HEALTHCARE PROVIDER
ABOUT THE ANYTIME, ANYWHERE
MIGRAINE MEDICINE.**



IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Your healthcare provider can tell you if it is safe to take UBRELVY with other medicines.

**Click here for patient information or visit
http://www.rxabbvie.com/pdf/ubrelvy_pi.pdf**

UBRELVY® and its design are registered trademarks of Allergan
Pharmaceuticals International Limited, an AbbVie company.

© 2022 AbbVie. All rights reserved. US-UBR-220197

abbvie